SERVICE PARTS LIST

Milwaukee

SPECIFY CATALOG NO. AND SERIAL NO. WHEN ORDERING PARTS 1/2" Compact Driver Drill

REVISED BULLETIN 54-06-2610 WIRING INSTRUCTION

DATE Aug. 2014

CATALOG NO.

2601-20

STARTING SERIAL NO

B28B

See Page 3




FIG .	PART NO. 05-88-1500	DESCRIPTION OF PART M6 x 1 LH Chuck Screw	NO. REQ. (1)	FIG. ★ 21	PART NO.	DESCRIPTION OF PART Motor Mount	IO. REQ. (1)
2	06-82-7236	#4-20 x .625 Pan Hd. Plast. T-10 Screw	(6)	★ 22	45-24-0910	Forward/Reverse Shuttle	(1)
3	06-82-7336	#4-20 x .750 Pan Hd. Plast. T-10 Screw	(8)	★ 23	45-30-0255	Rubber Slug	(4)
★ 4		Switch	(1)	★ 24	23-66-1233	Switch Assembly	(1)
5	48-66-1275	Keyless Chuck Assembly	(1)	★ 25	23-66-1232	Switch and Handle Halve Assembly	(1)
6	10-20-2695	Warning Label	(1)	28	48-55-0960	Accessory Carrying Case	(1)
7	12-20-0800	Service Nameplate	(1)	29	06-82-5275	6-32 x 5/16" Pan Hd. T-15 Screw, Optiona	al (2)
★ 8		Brush Card '	(1)	30	42-70-5150	Belt Hook, Optional	(1)
* 9	18-01-3020	Service Field	(1)	31	43-72-0550	Bit Holder, Optional	(1)
★ 10	16-01-3000	Service Armature Assembly	(1)	32	05-90-0225	Washer, Optional	(2)
★ 11		LED Assembly	(1)	72	05-88-0928	M3 x 5mmPan Hd. T10 Screw	(2)
★ 12		Terminal Block Assembly	(1)	73	45-88-1980	Spring Washer	(2)
★ 14		PCB Assembly	(1)	74		Leadwire Assembly - Red	(1)
★ 15	28-14-0661	Gearcase Assembly	(1)	75		Leadwire Assembly - Black	(1)
★ 16		Handle Halve-Left	(1)	76	14-46-2399	Leadwire/Screw/Washer Kit	(1)
★ 17		Handle Halve-Right	(1)	77	14-46-2012	Brush Card Assembly	(1)
★ 18	31-44-2600	Handle Halve Set	(1)			MII WALIKEE ELECTRIC TOOL CORPO	OR ATION

Compression Spring


Housing End Cap

19

★20

40-50-1090

NAUKEE ELECTRIC TOOL CORPORATION 13135 W. Lisbon Road, Brookfield, WI 53005 Drwg. 3





NOTE: There are two Brush Card Assembly designs.

On the original brush card design the red and black wires that go to the switch are soldered on the brush card.

On the new brush card design the red and black wires that go to the switch are secured to the brush card with spring washers and screws.

The new brush card design is directly interchangeable in tools that have the old brush card design.





WIRING SPECIFICATIONS							
Wire No.	Wire Color	Origin or Gauge	Length	Terminals, Connectors and 1 or 2 End Wire Preparation			
1	Black			Component of Brush Card Assy. Connect to M2 on Switch.			
2	Red			Component of Brush Card Assy. Connect to M1 on Switch.			
3	Red			Component of Switch/Brush Card/Terminal Block Assembly.			
4	Black			Component of Switch/Brush Card/Terminal Block Assembly.			
5	Blue			Component of Switch/Brush Card/Terminal Block Assembly.			
6	Orange			Component of Switch/Brush Card/Terminal Block Assembly.			
7	Green			Component of Switch/Brush Card/Terminal Block Assembly.			
8	White			Component of Switch/Brush Card/Terminal Block Assembly.			
9	Brown			Component of Switch/Brush Card/Terminal Block Assembly.			
10	Black			Component of Switch/Brush Card/Terminal Block Assembly.			
11	Blue			Component of Switch/Brush Card/Terminal Block Assembly.			
12	Red			Component of Switch/Brush Card/Terminal Block Assembly.			
13	Blue			Component of Switch/Brush Card/Terminal Block Assy. (LED)			
14	Yellow			Component of Switch/Brush Card/Terminal Block Assy. (LED)			