



BOSCH

Cordless Impact Drill

GSB 12 VES-2 | 0 601 937 5A5

Table of Content

Spare parts list.....	2
Illustration - Type.....	4

Cordless Impact Drill | GSB 12 VES-2 | 0 601 937 5A5

Spare parts list

Item	Part Number	Description	Illustration
1	2 605 104 423	Housing Section BLUE	1
2	2 607 022 929	DC motor 9,6V	1
2/10	2 606 316 144	Pinion Z=14	1
4	2 607 200 393	On-Off Switch	1
9	2 601 118 542	Sticker SUNNY SIDE	1
20	2 601 118 543	Sticker SHADOW SIDE	1
27	1 900 905 120	groove ball bearing 10x26x8	1
29	2 605 510 136	Insert Piece BLACK	1
32	2 601 099 056	Adjusting Slide BLACK	1
34	2 602 210 014	Eccentric	1
35	2 602 329 024	Roller Body	1
36	2 600 202 025	Retaining snap ring	1
37	2 606 440 003	Carrier	1
42	1 609 340 007	Cylindrical Gear Z=58/67	1
49	2 605 510 117	Insert Piece BLACK	1
50	2 605 190 037	Setting Ring	1
53	2 608 005 046	Cover Disc	1
54	2 603 490 008	Thread-forming tap. Screw M4x12 MM	1
55	2 600 190 056	Catch Disk	1
60	2 604 618 001	Compression Spring	1
68	1 900 905 122	groove ball bearing 15x32x9	1
69	2 916 650 001	Spring retaining ring DIN 471-10x1MM-FSt	1
70	2 600 100 569	Shim 1,0 MM	1
71	2 600 290 023	Backup ring	1
73	2 606 490 060	Catch Disk	1
77	2 600 190 064	Corrugated Washer	1
78	2 600 101 516	Thrust Bearing Disc	1
79	2 600 923 003	Ball Cage	1
94	2 600 301 011	Sintered-Metal Bushing	1
95	2 600 302 013	Sintered-Metal Bushing	1
96	2 608 040 131	Support	1
100	2 601 322 016	Clamp Spring	1
101	2 603 490 022	Screw 4x16	1
102	2 601 329 041	Retaining Bracket	1
104	2 608 018 004	Contact retainer	1

Spare parts list

Item	Part Number	Description			Illustration
107	2 603 421 229	Countersunk-Head Screw LEFTHAND THREADS	M6x23		1
725	2 608 572 062	Keyless Chuck	Ø 2-13 MM,1/2"		1
753	2 607 224 431	Fast Charger	USA 120/7,2-24V, 1h		1
753	2 607 224 708	Fast Charger	USA 120/7,2-14,4V, 30 MIN.		1
791	2 607 335 148	Slide-In Accu Package	12V,2,0Ah,NiCd		1
793	2 608 521 018	Screwdriver Blade			1
797	2 601 398 009	Carrying Loop			1
826	2 606 309 928	Drilling Spindle THREADS	1/2", M 6	LEFTHAND	1
838	2 606 309 918	Splined Shaft			1
840	2 606 308 914	Toothed Shaft	Z= 10/19/63		1
852	2 600 499 903	Guide Sleeve			1

Illustration - Type - E

0 601 937 503
 Stand } 99-12-23
 Issue }
Fig./Abb. 1

