


ELECTRIC TOOL PARTS LIST

■ BELT SANDER
Model SB-110

1995 · 1 · 9
(E9)



PARTS

SB-110

| ITEM NO. | CODE NO. | DESCRIPTION | NO. USED | REMARKS | |
|----------|----------|---------------------------|--|---|---------------|
| * 1 | 988-770 | HOUSING ASS'Y | 1 | INCLUD.7B,8 | |
| * 1 | 988-771 | HOUSING ASS'Y | 1 | INCLUD.7B,8 FOR USA,CHN | |
| * 1 | 988-772 | HOUSING ASS'Y | 1 | INCLUD.7B,8 FOR AUT | |
| * 2 | 953-032C | STATOR ASS'Y 110V - 115V | 1 | INCLUD.3 | |
| * 2 | 953-032D | STATOR ASS'Y 120V - 127V | 1 | INCLUD.3 | |
| * 2 | 953-032E | STATOR ASS'Y 220V - 230V | 1 | INCLUD.3 | |
| * 2 | 953-032F | STATOR ASS'Y 240V | 1 | INCLUD.3 | |
| * 2 | 953-032G | STATOR ASS'Y 220V - 230V | 1 | INCLUD.3 FOR NZL | |
| * 2 | 953-032H | STATOR ASS'Y 240V | 1 | INCLUD.3 FOR AUS | |
| * 2 | 953-032J | STATOR ASS'Y 115V | 1 | INCLUD.3 FOR USA | |
| * 2 | 953-119C | STATOR ASS'Y 110V - 115V | 1 | INCLUD.3 FOR GBR | |
| * 2 | 953-119E | STATOR ASS'Y 220V - 230V | 1 | INCLUD.3 FOR NOR | |
| * 2 | 953-119G | STATOR ASS'Y 230V | 1 | INCLUD.3 FOR SAF | |
| * 2 | 953-119K | STATOR ASS'Y 220V - 230V | 1 | INCLUD.3 FOR ITA,FRG,FRA,HOLDEN,SWE, AUT,ESP,GBR | |
| | | | | | |
| | 3 | 948-703 | BRUSH TERMINAL | 2 | |
| | 4A | 949-249 | MACHINE SCREW M5X45 (10 PCS.) | 2 | TILL 9.1979 |
| | 4B | 953-121 | HEX. HD. TAPPING SCREW D5X50 | 2 | SINCE 10.1979 |
| | 5 | 949-454 | SPRING WASHER M5 (10 PCS.) | 13 | |
| * 6 | 953-033 | INTERNAL WIRE | 1 | | |
| * 7A | 953-123Z | BRUSH HOLDER | 2 | TILL 6.1983 FOR AUT | |
| * 7B | 988-774 | BRUSH HOLDER | 2 | SINCE 7.1983 FOR AUT | |
| * 7B | 988-773 | BRUSH HOLDER | 2 | SINCE 7.1983 | |
| | 8 | 949-368 | SLOTTED HD. SET SCREW M4X10 (10 PCS.) | 2 | |
| | 9 | 948-362 | BEARING LOCK | 1 | |
| | 10 | 953-035 | FAN GUIDE | 1 | |
| * 11 | 953-037C | ARMATURE 110V - 115V | 1 | | |
| * 11 | 953-037D | ARMATURE 120V - 127V | 1 | | |
| * 11 | 953-037F | ARMATURE 230V - 240V | 1 | | |
| * 12 | 620-0VV | BALL BEARING 6200VVCMP52S | 2 | | |
| | 13 | 953-038 | WASHER | 1 | |
| | 14 | 953-039 | INNER COVER | 1 | |
| | 15 | 953-040 | TAPPING SCREW D5X20 | 11 | |
| | 16 | 953-041 | BODY ASS'Y | 1 | INCLUD.17 |
| | 17 | 953-042 | METAL | 2 | |
| | 18 | 953-043 | WASHER | 1 | |
| | 19 | 953-125 | DRIVE PULLEY | 1 | |
| | 22 | 939-542 | RETAINING RING FOR D12 SHAFT (10 PCS.) | 1 | |
| | 23 | 944-854 | BEARING WASHER | 1 | |
| | 24 | 944-109 | FEATHER KEY 3X3X8 | 1 | |
| | 25 | 953-046 | GEAR | 1 | |
| | 26 | 953-047 | PINION | 1 | |
| | 27 | 620-0VV | BALL BEARING 6200VVCMP52S | 1 | |
| | 28 | 608-DDM | BALL BEARING 608DDMC2EPS2S | 1 | |
| | 29 | 953-048 | GEAR COVER | 1 | |
| | 30 | 949-243 | MACHINE SCREW M5X25 (10 PCS.) | 3 | |
| | 31 | 953-050 | PULLEY (A) | 1 | |
| | 32 | 953-051 | PULLEY (B) | 1 | |
| | 33 | 936-198 | BELT | 1 | |
| | 34 | 953-052 | BELT COVER | 1 | |
| | 35 | 953-053 | DUST FAN | 1 | |

*: ALTERNATIVE PARTS

PARTS

SB-110

| ITEM NO. | CODE NO. | DESCRIPTION | NO. USED | REMARKS |
|----------|----------|--|----------|---|
| 36 | 953-054 | DUST GUIDE | 1 | |
| 37 | 953-055 | DUST COVER | 1 | |
| 38 | 949-243 | MACHINE SCREW M5X25 (10 PCS.) | 2 | |
| 39 | 949-454 | SPRING WASHER M5 (10 PCS.) | 2 | |
| 40 | 957-580 | TAPPING SCREW D5X30 | 2 | |
| 41 | 953-056 | BELT TENSIONER ASS'Y | 1 | INCLUD.42A - 55 |
| 42A | 953-057 | IDLE PULLEY ASS'Y | 1 | INCLUD.43A |
| 43 | 953-042 | METAL | 2 | TILL 10.1987 |
| 43A | 987-072 | METAL | 2 | SINCE 11.1987 |
| 44 | 953-043 | WASHER | 2 | |
| 45A | 953-060 | FORK | 1 | |
| 46 | 953-061 | SHAFT | 1 | |
| 47 | 939-542 | RETAINING RING FOR D12 SHAFT (10 PCS.) | 1 | |
| 48A | 953-062 | HOLDER PLATE | 1 | |
| 49 | 953-063 | SPRING | 1 | |
| 50A | 953-064 | LEVER | 1 | |
| 51 | 953-065 | SPRING | 1 | |
| 52 | 949-754 | HEX. SOCKET HD. BOLT M4X16 (10 PCS.) | 1 | |
| 53A | 876-465 | NYLON NUT M4 | 1 | |
| 54 | 949-429 | BOLT WASHER M4 (10 PCS.) | 1 | |
| 55 | 953-066 | DISTANCE PIECE | 1 | |
| 56A | 953-067 | BELT TENSIONER COVER | 1 | |
| * 57 | 949-453 | SPRING WASHER M4 (10 PCS.) | 3 | FOR GBR |
| 58 | 949-218 | MACHINE SCREW M4X14 (10 PCS.) | 3 | |
| 59 | 953-068 | STRIKING GUIDE | 1 | |
| 60A | 949-217 | MACHINE SCREW M4X12 (10 PCS.) | 5 | |
| * 61 | 500-223Z | CORD | 1 | (CORD ARMOR D10.7) FOR SIN |
| * 61 | 500-226Z | CORD | 1 | (CORD ARMOR D8.2) FOR OCEANIA |
| * 61 | 500-231Z | CORD | 1 | (CORD ARMOR D8.2) FOR SAF |
| * 61 | 500-234Z | CORD | 1 | (CORD ARMOR D8.2) FOR EUROPE |
| * 61 | 500-239Z | CORD | 1 | (CORD ARMOR D10.7) |
| * 61 | 500-240Z | CORD | 1 | (CORD ARMOR D8.2) FOR USA |
| * 61 | 500-420Z | CORD | 1 | (CORD ARMOR D10.7) FOR SAU (127V) |
| * 61 | 500-423Z | CORD | 1 | (CORD ARMOR D8.2) FOR SAU (220V) |
| * 61 | 953-115Z | CORD | 1 | (CORD ARMOR D8.2) FOR GBR |
| * 63 | 958-049Z | CORD ARMOR D8.2 | 1 | |
| * 63 | 940-778 | CORD ARMOR D10.7 | 1 | |
| 64 | 937-631 | CORD CLIP | 1 | |
| 65A | 984-750 | TAPPING SCREW (W/FLANGE) D4X16 | 2 | |
| * 66 | 956-632 | SWITCH (B) (2P SCREW TYPE) W/LOCK | 1 | |
| * 66 | 931-573 | SWITCH (2P PILLAR TYPE) W/LOCK | 1 | FOR GBR,SWE,AUT,NOR,HOL |
| * 66 | 953-178 | SWITCH (2P PILLAR TYPE) W/SAFETY LOCK | 1 | FOR FRA |
| * 66 | 310-286 | SWITCH (2P SCREW TYPE) W/LOCK | 1 | FOR CHN |
| 67 | 954-017 | TAPPING SCREW D4X12 | 1 | |
| * 68 | 994-273 | NOISE SUPPRESSOR | 1 | FOR GBR,FRG,FRA,HOL,SWE,AUT,NOR,ITA, DEN,ESP |
| * 69 | 953-116 | SWITCH (TUMBLER 2P) | 1 | |
| * 69 | 953-112P | SWITCH (TUMBLER 2P) | 1 | FOR CAN |
| * 69 | 953-124Z | SWITCH ASS'Y (TUMBLER 2P) | 1 | INCLUD.102 FOR USA |
| * 69 | 310-294 | SWITCH (TUMBLER 2P) | 1 | FOR CHN |
| * 70 | 959-140 | CONNECTOR 50091 (10 PCS.) | 3 | |

* : ALTERNATIVE PARTS

PARTS

SB-110

| ITEM NO. | CODE NO. | DESCRIPTION | NO. USED | REMARKS | |
|----------|----------|--------------------------------|--------------------------------------|--------------|---------|
| 72 | 953-069 | HANDLE COVER | 1 | | |
| 73A | 956-636 | TAPPING SCREW (W/WASHER) D4X25 | 4 | | |
| 75 | 953-070 | ADJUSTING SCREW | 1 | | |
| 76 | 953-071 | SPRING | 1 | | |
| 77 | 953-072 | HANDLE KNOB | 1 | | |
| 78 | 953-073 | SHOE CUSHION | 1 | | |
| 79 | 953-074 | SHOE PLATE | 1 | | |
| 81A | 999-036 | CARBON BRUSH (1 PAIR) | 2 | TILL 6.1983 | |
| 81B | 999-038 | CARBON BRUSH (1 PAIR) | 2 | SINCE 7.1983 | |
| * | 82 | 940-540 | BRUSH CAP | 2 | |
| * | 82 | 937-949 | BRUSH CAP | 2 | FOR AUT |
| * | 84 | | NAME PLATE | 1 | |
| | 85 | 957-561 | HITACHI LABEL | 1 | |
| | 86 | 953-078 | DUST BAG | 1 | |
| | 87 | 307-665 | SANDING BELTS 110X620 WA40 (5 PCS.) | 1 | |
| | 88 | 307-666 | SANDING BELTS 110X620 WA60 (5 PCS.) | 1 | |
| | 89 | 307-667 | SANDING BELTS 110X620 WA80 (5 PCS.) | 1 | |
| | 90 | 307-668 | SANDING BELTS 110X620 WA100 (5 PCS.) | 1 | |
| | 91 | 307-669 | SANDING BELTS 110X620 WA120 (5 PCS.) | 1 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

* : ALTERNATIVE PARTS

STANDARD ACCESSORIES

| ITEM NO. | CODE NO. | DESCRIPTION | NO. USED | REMARKS |
|----------|----------|-------------------------------|----------|----------------------|
| * 92A | 953-079 | RUBBER PLATE | 1 | TILL 12.1978 |
| * 92B | 953-117 | SWITCH COVER (TUMBLER) | 1 | SINCE 1.1979 |
| * 92B | 310-295 | SWITCH COVER (TUMBLER) | 1 | FOR CHN |
| * 93 | 955-908 | CHOKE COIL | 1 | |
| * 94 | 959-141 | CONNECTOR 50092 (10 PCS.) | 2 | |
| * 95 | 963-243 | SUPPORT | 1 | FOR NOISE SUPPRESSOR |
| 96 | 953-110 | PLATE | 1 | |
| * 97 | 949-509 | RIVET D2.5X3.2 (10 PCS.) | 4 | |
| 98 | 938-307 | PILLAR TERMINAL | 1 | |
| 99 | 981-373 | TUBE (D) | 2 | |
| 100 | 949-440 | WASHER (BRASS) M3.5 (10 PCS.) | 2 | |
| * 102 | 958-308Z | PILLAR TERMINAL (A) | 2 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

OPTIONAL ACCESSORIES

| ITEM NO. | CODE NO. | DESCRIPTION | NO. USED | REMARKS |
|----------|----------|--------------------------------------|----------|---------|
| 601 | 307-670 | SANDING BELTS 110X620 WA150 (5 PCS.) | 1 | |
| 602 | 307-671 | SANDING BELTS 110X620 WA180 (5 PCS.) | 1 | |
| 603 | 307-672 | SANDING BELTS 110X620 WA240 (5 PCS.) | 1 | |
| 604 | 307-673 | SANDING BELTS 110X620 AA30 (5 PCS.) | 1 | |
| 605 | 307-674 | SANDING BELTS 110X620 AA40 (5 PCS.) | 1 | |
| 606 | 307-675 | SANDING BELTS 110X620 AA60 (5 PCS.) | 1 | |
| 607 | 307-676 | SANDING BELTS 110X620 AA80 (5 PCS.) | 1 | |
| 608 | 307-677 | SANDING BELTS 110X620 AA100 (5 PCS.) | 1 | |
| 609 | 307-678 | SANDING BELTS 110X620 AA120 (5 PCS.) | 1 | |
| 610 | 307-679 | SANDING BELTS 110X620 AA150 (5 PCS.) | 1 | |
| 611 | 307-680 | SANDING BELTS 110X620 AA180 (5 PCS.) | 1 | |
| 612 | 307-681 | SANDING BELTS 110X620 AA240 (5 PCS.) | 1 | |
| 613 | 307-682 | SANDING BELTS 110X620 AA320 (5 PCS.) | 1 | |
| 614 | 307-683 | SANDING BELTS 110X620 AA400 (5 PCS.) | 1 | |
| 615 | 307-684 | SANDING BELTS 110X620 CC60 (5 PCS.) | 1 | |
| 616 | 307-685 | SANDING BELTS 110X620 CC120 (5 PCS.) | 1 | |
| 617 | 307-686 | SANDING BELTS 110X620 CC240 (5 PCS.) | 1 | |
| 618 | 307-687 | SANDING BELTS 110X620 CC400 (5 PCS.) | 1 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

*: ALTERNATIVE PARTS

