



Position	Amount	Type number	Description
3	1	341603640	Drill spindle
4	1	341511630	Depth stop
5	3	141122490	Self-tap. fill. h. screw
6	1	316030990	Gear housing cpl.
7	1	340004010	Sliding block
8	1	316027710	Switch housing compl.
9	1	316040680	Intermediate gear
10	1	341540010	Guide bolt
11	1	339129270	Shift fork
12	1	344095910	SEAL
13	1	316031000	Gear flange cpl.
14	1	339210830	Shaft sealing ring
15	1	141181680	Retaining ring
16	1	143110220	BALL BEARING, 15x32x9
17	1	341055650	Slotted disc
18	1	316029530	Control knob cpl.
20	1	343376040	Sealing ring
21	1	344095920	Rubber buffer
22	1	143113400	Ball bearing, 8x22x7
23	1	310007850	Armature cpl. 120V
24	1	143114750	Ball bearing, 6X 19X 6
25	1	343374270	Intermediate flange
27	1	314000830	Support handle cpl.
28	1	338039720	Rating plate
29	1	343078080	Electronic unit 120V
31	1	343406880	poti switch 230V
32	5	141117060	Self-tap. fill. h. screw
33	1	343393020	Pistol grip 2 piece
34	1	343362490	Cable clip
36	1	143192430	O-ring
37	2	141118260	Self-tap. fill. h. screw
38	1	311009840	Field coil 120V
39	1	315012650	Motor housing
40	1	338122160	M-Label,08 52x22
41	2	338115410	Indication label
42	1	339129390	Brush contact
43	1	316030030	Brush holder module 120V
44	1	344494030	Cable with UI-CSA-plug
46	1	344101160	Cable sleeve
47	1	343011830	Carbon brush set
48	1	338115880	Warning label

49	1	141155810	Ring
50	2	343378650	Supporting piece
51	1	316035740	Fan w. prot. Grid
880	1	344130930	Grease 50Gr 1,8oz
882	1	344130970	Grease 50Gr 1,8oz
1001	1	338502250	Diagram

