



Position	Amount	Type number	Description	PG
1	1	314000280	Handle cpl.	25
2	1	343399790	Push button black	11
3	1	342003390	Pressure spring	11
4	1	341005830	Guide bush	15
5	1	316045500	Gear housing cpl.	36
6	1	341515430	Bolt	11
7	1	341100660	Self locking nut	14
8	1	316045530	Bevel gear	34
9	1	141123870	Washer	11
10	1	143115510	Ball bearing, 12x37x12	16
11	1	339007280	Fixed bearing cover	14
12	1	316045560	Fan w. dust guard	21
13	1	310011320	Armature compl., 120V	45
14	1	343390630	Sealing washer	11
15	1	143115800	Ball bearing, 8x22x7	13
16	1	344102590	Rubber bushing	12
17	1	339151130	Baffle	11
18	2	141121680	Self-tap. fill. h. screw	11
19	1	311009590	Field coil	35
20	1	344494200	Strand	12
21	4	141119370	Self-tap. fill. h. screw	11
22	1	141122020	Fillister head screw	11
23	1	141119850	Fillister head screw	11
24	2	339011810	Gasket	11
25	1	316045550	Gear flange cpl.	33
26	4	141121640	Fill. head screw(DIN 7985)	11
30	1	341604100	Spindle, 5/8"	25
34	2	341702050	Screw	11
35	2	343395530	Brush holder cover	11
36	1	316046780	Carbon brush set, 120 V	25
37	2	343000950	Brush guide	19
38	8	141116020	Self-tap fill h screw	12
39	1	343399760	Handle upper+lower part	20
40	1	339007320	Retaining sheet	12
41	1	343398250	Edge protection	11
42	1	343409150	Switch, 230V/120V	26
43	1	339127730	Cable clip	11
44	1	344094550	Cable sleeve	13
45	1	344490920	Cable with plug	30
46	1	344160700	Pin spanner offset	18
47	1	315013300	Motor housing	25

Position	Amount	Type number	Description	PG
48	1	338071060	Rating plate	12
49	1	343397490	Damper	20
50	1	343397700	Locking lever	12
51	1	342002170	Pressure spring	11
52	1	343398410	Dummy plug	11
53	1	141116800	Self-tap. fill. h. screw	11
54	2	339160850	Contact strap	11
55	1	344498080	Strand compl., 120V	11
56	1	338122090	Warning Label 52x22	11
60	3	341032380	spacing washer	14
61	1	341212950	Clamping nut, 5/8"	19
63	1	344163620	Cranked wrench key	20
77	1	338132850	Warning Label 52x22	12
89	1	341031290	Clamping flange	19
99	1	316064100	Gear flange cpl.	42
880	1	344130910	Grease 100G	24
1001	1	338504750	Wiring diagram	

